

17	0	select\$5 same (management adj table) same (second adj buffer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:36
18	2920800	select\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:36
19	1409	(second adj buffer) same select\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:37
20	3	(management adj table) same (second adj buffer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:40
21	1	access adj disable adj flag\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:40
23	13	(write-back or writeback) adj flag\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:41
24	4804	active\$6 with flag\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:42
25	1	command adj de-queuing	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:42
26	16163	buffer with inhibit\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:43
27	110	(active\$6 with flag\$) and (buffer with inhibit\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:43
22	5	staging adj flag\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:45
28	111	selector same (first adj buffer) same (second adj buffer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:46
29	0	selector same (first adj buffer) same (second adj buffer) same identical	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:49
30	741	(711/147).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:50
31	471	(711/152).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:59
32	860	(710/8).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:59

L Number	Hits	Search Text	DB	Time stamp
1	3865	buffer adj manag\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:21
2	7	secondary adj program adj memory	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:25
3	1662	hard adj disk adj controller	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:25
4	24561	program adj memory	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:25
5	63	(buffer adj manag\$6) and (hard adj disk adj controller)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:25
6	5	(program adj memory) and ((buffer adj manag\$6) and (hard adj disk adj controller))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:27
7	1514	(selector or switch) same (fireware or code or instructions) same (extra or auxillary or secondary or overflow)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:32
8	3	(hard adj disk adj controller) and ((selector or switch) same (fireware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:31
9	0	((program adj memory) and ((buffer adj manag\$6) and (hard adj disk adj controller))) and ((selector or switch) same (fireware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:32
10	0	(hard adj disk adj controller) and (program adj memory) and ((selector or switch) same (fireware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:32
11	1571	(selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:33
12	147	(program adj memory) and ((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:33
13	0	(hard adj disk adj controller) and ((program adj memory) and ((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:33
14	3	(hard adj disk adj controller) and ((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:35
15	7819	management adj table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:35
16	8480	second adj buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:37

L Number	Hits	Search Text	DB	Time stamp
1	3865	buffer adj manag\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:21
2	7	secondary adj program adj memory	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:25
3	1662	hard adj disk adj controller	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:25
4	24561	program adj memory	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:25
5	63	(buffer adj manag\$6) and (hard adj disk adj controller)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:25
6	5	(program adj memory) and ((buffer adj manag\$6) and (hard adj disk adj controller))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:27
7	1514	(selector or switch) same (fireware or code or instructions) same (extra or auxillary or secondary or overflow)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:32
8	3	(hard adj disk adj controller) and ((selector or switch) same (fireware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:31
9	0	((program adj memory) and ((buffer adj manag\$6) and (hard adj disk adj controller))) and ((selector or switch) same (fireware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:32
10	0	(hard adj disk adj controller) and (program adj memory) and ((selector or switch) same (fireware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:32
11	1571	(selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:33
12	147	(program adj memory) and ((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:33
13	0	(hard adj disk adj controller) and ((program adj memory) and ((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow))))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:33
14	3	(hard adj disk adj controller) and ((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:35
15	7819	management adj table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:35
16	8480	second adj buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:37

17	0	select\$5 same (management adj table) same (second adj buffer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:36
18	2920800	select\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:36
19	1409	(second adj buffer) same select\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:37
20	3	(management adj table) same (second adj buffer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:40
21	1	access adj disable adj flag\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:40
23	13	(write-back or writeback) adj flag\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:41
24	4804	active\$6 with flag\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:42
25	1	command adj de-queuing	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:42
26	16163	buffer with inhibit\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:43
27	110	(active\$6 with flag\$) and (buffer with inhibit\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:43
22	5	staging adj flag\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:45
28	111	selector same (first adj buffer) same (second adj buffer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:46
29	0	selector same (first adj buffer) same (second adj buffer) same identical	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:49
30	741	(711/147).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:50
31	471	(711/152).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:59
32	860	(710/8).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:59

33	299	(710/14).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:59
34	154	(710/23).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:00
35	0	(selector same (first adj buffer) same (second adj buffer)) and ((710/8).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:00
36	0	(selector same (first adj buffer) same (second adj buffer)) and ((710/14).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:00
37	0	(selector same (first adj buffer) same (second adj buffer)) and ((710/23).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:00
38	0	(selector same (first adj buffer) same (second adj buffer)) and ((711/147).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:00
39	0	(selector same (first adj buffer) same (second adj buffer)) and ((711/152).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:01
40	0	(selector same (first adj buffer) same (second adj buffer)) and ((710/8).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:01
42	0	((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow)) and ((711/152).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:01
43	3	((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow)) and ((710/8).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:01
44	0	((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow)) and ((710/14).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:01
45	1	((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow)) and ((710/23).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:01
41	3	((selector or switch) same (firmware or code or instructions) same (extra or auxillary or secondary or overflow)) and ((711/147).CCLS.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:03
46	0	(hard adj disk adj controller) and (selector same (first adj buffer) same (second adj buffer))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:03
47	0	(selector same (first adj buffer) same (second adj buffer)) and (disk adj interface)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:04
48	2400	disk adj interface	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:04

49	0	(selector same (first adj buffer) same (second adj buffer)) and (disk adj interface)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:04
----	---	--	---	------------------

L Number	Hits	Search Text	DB	Time stamp
1	2	((("5978170") or ("20030161063"))).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:12
2	1662	hard adj disk adj controller	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:13
3	737	variable with buffer with size	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:13
5	0	(hard adj disk adj controller) same (variable with buffer with size)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:13
4	4	(hard adj disk adj controller) and (variable with buffer with size)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:14

33	299	(710/14).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 18:59
34	154	(710/23).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/25 19:00